

## DECLARATION OF COMPLIANCE

WITH REGULATIONS ON MATERIALS AND ARTICLES INTENDED TO COME INTO CONTACT WITH FOOD.

*The present declaration concerns materials and articles intended to come into contact with food as defined in the field of application of Regulation (EC) No 1935/2004.*

*Vollrath Pujadas SAU, with address c/Castanyet nº 132, 17430, Sta. Coloma de Farners*

*Hereby DECLARES that the article referenced by the customer as follows:*

Reference: **P22.830, P22.833 / P22.834, P22.835 / P22.838, P22.839 / P22.844, P22.845**

Description: **Melamine serving plates**

*Manufactured in accordance with the following regulation:*

- Regulation (EC) No 1935/2004/CE of 27th October 2004 on material and articles intended to come into contact with food;
- Regulation (EC) No 2023/2006 of 22nd December 2006 amended on good manufacturing practices for materials and articles intended to come into contact with food;
- Specific regulations: Regulation (EC) No 10/2011 for plastic material;

*won't bring about, in accordance with Regulation (EC) No 1935/2004, under normal or foreseeable conditions of use, an unacceptable change in the composition or a deterioration in the organoleptic characteristics of the food, in the following conditions of contact (tick the appropriate boxes):*

- contact with all types of food products:
- or only:
  - contact with dry foods:
  - contact with moist foods / aqueous foods:
  - contact with fatty foods:

*If the material and/or article is concerned by Regulation (EC) No 10/2011 and corrective factors, specify them:*

N/A

- contact with acidic foods:
- contact with alcoholic foods:
- contact with frozen foods or ice cream:
- other type of contact (to be specified):

- for heat treatment:  
*If applicable, specify the maximum temperature and the duration of cooking in a traditional oven, in a microwave, during sterilization, etc.*

**Not recommended: microwave, oven, direct flame, hot oil**

- contact conditions (shelf life and temperature) with the food, as specified by the customer:

**Minimum temperature: -20 °C, maximum temperature: 70 °C**

In addition,

- The compliance is understood to be subject to the conformity with the conditions of storage, handling and use, taking into account the specific characteristics of the material or article, and the conditions such as prescribed by professional practices or codes.

- In the event of a change in the packaged product, its composition or its intended use, as well as in the event of a change in the conditions for using the material or the article, the person for whom this declaration is intended must ensure the compatibility packaging / content for which he/she then accepts responsibility.

This declaration of compliance has been established on the following (tick the appropriate boxes, if concerned):

- Declaration(s) by suppliers of raw materials   
*(components of the material covered by the present declaration)*
- Tests to guarantee the enforcement of the article 3 of the regulation (EC) No 1935/2004/CE of 27th October 2004

Test requested	Simulants	Time	Temperature	Results
<b>FCM – Overall Migration of Total Non-volatile Substance in Plastic Material (yellow)</b>	Ethanol 10%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>
	Acetic Acid 3%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>
	Ethanol 95%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>
	Isooctane	<b>2 hours</b>	<b>70 °C, performed 30 min at 40 °C</b>	<b>Pass</b>
<b>FCM – Soluble Heavy Metals in Aqueous test Simulants (yellow)</b>	Acetic Acid 3%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>
<b>FCM – Overall Migration of Total Non-volatile Substance in Plastic Material (grey)</b>	Ethanol 10%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>
	Acetic Acid 3%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>
	Ethanol 95%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>
	Isooctane	<b>2 hours</b>	<b>70 °C, performed 30 min at 40 °C</b>	<b>Pass</b>
<b>FCM – Soluble Heavy Metals in Aqueous test Simulants (grey)</b>	Acetic Acid 3%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>

<b>FCM – Overall Migration of Total Non-volatile Substance in Plastic Material (orange)</b>	Ethanol 10%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>
	Acetic Acid 3%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>
	Ethanol 95%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>
	Isooctane	<b>2 hours</b>	<b>70 °C, performed 30 min at 40 °C</b>	<b>Pass</b>
<b>FCM – Soluble Heavy Metals in Aqueous test Simulants (orange)</b>	Acetic Acid 3%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>
<b>FCM – Overall Migration of Total Non-volatile Substance in Plastic Material (red)</b>	Ethanol 10%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>
	Acetic Acid 3%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>
	Ethanol 95%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>
	Isooctane	<b>2 hours</b>	<b>70 °C, performed 30 min at 40 °C</b>	<b>Pass</b>
<b>FCM – Soluble Heavy Metals in Aqueous test Simulants (red)</b>	Acetic Acid 3%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>

- Regulation (EC) No 10/2011, concerning non intentionally added substances (NIAS) and non-listed substances (Specific Migration)

<i>Names</i>	<i>Identification (CAS, EINECS, etc.)</i>	<i>Simulants</i>	<i>Time</i>	<i>Temperature</i>	<i>Results</i>
<b>FCM – Formaldehyde (yellow)</b>	<b>50-00-0</b>	Acetic Acid 3%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>
<b>FCM – Formaldehyde (grey)</b>	<b>50-00-0</b>	Acetic Acid 3%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>
<b>FCM – Formaldehyde (orange)</b>	<b>50-00-0</b>	Acetic Acid 3%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>
<b>FCM – Formaldehyde (red)</b>	<b>50-00-0</b>	Acetic Acid 3%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>
<b>FCM – Melamine (yellow)</b>	<b>108-78-1</b>	Acetic Acid 3%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>
<b>FCM – Melamine (grey)</b>	<b>108-78-1</b>	Acetic Acid 3%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>
<b>FCM – Melamine (orange)</b>	<b>108-78-1</b>	Acetic Acid 3%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>
<b>FCM – Melamine (red)</b>	<b>108-78-1</b>	Acetic Acid 3%	<b>2 hours</b>	<b>70 °C</b>	<b>Pass</b>

If concerned by:

- Regulation (EC) No 450/2009 on active and intelligent materials and articles, specify the substance used and the community register number:

N/A

- Regulation (EC) No 282/2008 on recycled plastic materials and articles intended to come into contact with foods, specify the type of material and in case of plastic materials, the authorization number of the recycling process mentioned in the community register of recycling processes:

N/A

- Regulation (EC) No 10/2011 concerning the ratio surface / volume in contact with food, specify this ratio:

**The ratio of surface area to volume ratio is 2,16 dm<sup>2</sup> per 1 kg of foodstuff in contact with.**

This declaration of compliance is valid as long as the material composition has not changed, its destination has not changed and in absence of regulatory changes. This declaration is established in accordance with article 16 of Regulation (EC) No 1935/2004 for materials subject to specific European measures

This declaration is intended for:

**All Customers of Pujadas**

*(please specify the name of the company for which the declaration is intended)*

**Signed in Sta. Coloma de Farners on November 30, 2018**

*(signature and stamp of the company)*



**Quality department**

